



**C.E.B. IMPIANTI s.r.l.**

IMPIANTI DI LAVAGGIO PER L'INDUSTRIA  
WASHING PLANTS FOR INDUSTRY

**Model**  
**EWEC/S- EWEC/SX**  
**EWEC2/S - EWEC2/SX**  
**LOW PRESSURE (at 40 bar)**  
**SOLVENT WASHING EQUIPMENT**  
**suitable for inside and outside washing of drums and buckets**



Note: the present picture shows the double station model EWEC2/AX (tanks not included)

via Stab. Figliodoni, 14 - 23891 Barzanò (LC) - Italy  
Tel. +39 039 958482 - Fax +39 039 9217563  
[www.cebimpianti.com](http://www.cebimpianti.com) - [info@cebimpianti.com](mailto:info@cebimpianti.com)  
VAT Nr. 02652530961



## MAIN TECHNICAL FEATURES

<b>Applicable to models</b> EWEC/S – EWEC/SX – EWEC2/S – EWEC2/SX	
<i>Insulation</i>	Atex   CE  II2G IIB T4
<i>PLC</i>	SIEMENS S7/1200
<i>Cycle process time</i>	Programmable
<i>Compressed air</i>	7 Bar
<i>Supply</i>	3x400 V – 50 Hz (different on request)
<i>Installed power</i>	7,5 kW
<i>Motor</i>	5,5 kW
<i>Overall dimensions</i>	See lay out
<i>Washing media</i>	Solvents
<i>Washing pressure</i>	40 bar – adjustable
<i>Flow</i>	30 lit/min
<i>Washing pump</i>	High pressure pump
<i>Rinsing pump</i>	Double diaphragm at 1"
<i>Emptying pump</i>	Double diaphragm at 1"
<i>Feeding pump</i>	High pressure pump
<i>Loading cage</i>	Equipped with tilting clamp
<i>Sealing</i>	Door
<i>Drum diameter</i>	Up to 572mm (22,5")
<i>Vessel height</i>	Up to 850mm (33,5")
<i>Filters</i>	Nr. 2 stainless steel filters: * first one (400μ) for residual liquid * second one (200μ) for the high-pressure pump protection
<i>Washing time</i>	The cycle time can be selected by the operator. The whole cycle lasts usually between 1 to 2 minutes
<i>Safety devices</i>	Cover lowering sensor Washing liquid flow sensor Compressed air sensor Cleaning media flow sensor Nitrogen blanketing system ready Suction valve for connection to customer's compressed air piping Atex grounding clamp

**Technical features may change without prior notice.  
Consult with CEB Impianti for the latest version available.**

## Versions available



**EWEC/S**



**EWEC2/S**



**EWEC/SX**



**EWEC2/SX**

## TANK SIZES



**Plastic barrels,  
bins and pails**




**Metallic barrels,  
bins and drums (open top and with cap)**



from 20lt up to 200lt.

- Min hole diameter for closed top drums/buckets: 2"

## LAYOUT (indicative)



**Check your technical request and the dimensions of your containers  
with CEB Impianti before considering the use of the present washing machine**

**CEB Impianti S.r.l.**  
via Stab. Figliodoni, 14 - 23891 Barzanò (LC) - Italy  
Tel. +39 039 958482 - Fax +39 039 9217563  
VAT Nr. 02652530961

February 2019 – Rev. A